

ZP_COSYGP_3h DMSO {C:\Bruker\TopSpin3.6.0} AMP 13



Current Data Parameters
NAME CCY_61_09-DMSO
EXPNO 21
PROCNO 1

F2 - Acquisition Parameters
Date_ 20220617
Time 15.17 h
INSTRUM spect
PROBHD Z108618_1022 (
PULPROG cosydfph
TD 2048
SOLVENT DMSO
NS 8
DS 16
SWH 5681.818 Hz
FIDRES 5.548651 Hz
AQ 0.1802240 sec
RG 198.49
DW 88.000 usec
DE 6.50 usec
TE 300.3 K
D0 0.00007017 sec
D1 1.74932504 sec
D13 0.00000400 sec
IN0 0.00017600 sec
TDav 1
SFO1 400.1324653 MHz
NUC1 1H
P1 14.00 usec
PLW1 14.03100014 W

F1 - Acquisition parameters
TD 256
SFO1 400.1325 MHz
FIDRES 44.389206 Hz
SW 14.200 ppm
FnMODE States-TPPI

F2 - Processing parameters
SI 1024
SF 400.1300417 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0
PC 1.40

F1 - Processing parameters
SI 1024
MC2 States-TPPI
SF 400.1300417 MHz
WDW QSINE
SSB 2
LB 0 Hz
GB 0

